



# RFAL TECHNOLOGY

## RHOMBUS HEAVY DUTY CASTOR WHEEL

478 SERIES

[www.rfaltech.in](http://www.rfaltech.in)





Rhombus Polyamide White Wheel Precision Ball Bearing	Diameter	Width	Height	Offset	Top Plate Dimension	Hole Distance	Top Plate Hole Diameter ø	Load Capacity (KG)
478A OSK 100P ZPK	100 mm	45 mm	148 mm	48 mm	138×109 mm	105×75 / 80 mm	11 mm	500 kg
478A OSK 125P ZPK	125 mm	45 mm	178 mm	48 mm	138×109 mm	105×75 / 80 mm	11 mm	600 kg
478A OSK 150P ZPK	150 mm	45 mm	205 mm	48 mm	138×109 mm	105×75 / 80 mm	11 mm	600 kg
478A OSK 200P ZPK	200 mm	50 mm	248 mm	58 mm	138×109 mm	105×75 / 80 mm	11 mm	600 kg



Rhombus Polyamide White Wheel Precision Ball Bearing	Diameter	Width	Height	Offset	Top Plate Dimension	Hole Distance	Top Plate Hole Diameter ø	Load Capacity (KG)
477A OSK 100P ZPK	100 mm	45 mm	148 mm		138×109 mm	105×75 / 80 mm	11 mm	500 kg
477A OSK 125P ZPK	125 mm	45 mm	178 mm		138×109 mm	105×75 / 80 mm	11 mm	600 kg
477A OSK 150P ZPK	150 mm	45 mm	205 mm		138×109 mm	105×75 / 80 mm	11 mm	600 kg
477A OSK 200P ZPK	200 mm	50 mm	248 mm		138×109 mm	105×75 / 80 mm	11 mm	600 kg



Rhombus Polyamide White Wheel Precision Ball Bearing	Diameter	Width	Height	Offset	Top Plate Dimension	Hole Distance	Top Plate Hole Diameter ø	Load Capacity (KG)
478I OSK 125P ZPK	125 mm	45 mm	178 mm	48 mm	138×109 mm	105×75 / 80 mm	11 mm	600 kg
478I OSK 150P ZPK	150 mm	45 mm	205 mm	48 mm	138×109 mm	105×75 / 80 mm	11 mm	600 kg
478I OSK 200P ZPK	200 mm	50 mm	248 mm	58 mm	138×109 mm	105×75 / 80 mm	11 mm	600 kg



Rhombus PU Cast Iron Wheel A95 Precision Ball Bearing	Diameter	Width	Height	Offset	Top Plate Dimension	Hole Distance	Top Plate Hole Diameter ø	Load Capacity (KG)
478A 18K 100V ZPK	100 mm	40 mm	148 mm	48 mm	138×109 mm	105×75 / 80 mm	11 mm	275 kg
478A 18K 127V ZPK	125 mm	40 mm	178 mm	48 mm	138×109 mm	105×75 / 80 mm	11 mm	600 kg
478A 18K 152V ZPK	150 mm	50 mm	205 mm	48 mm	138×109 mm	105×75 / 80 mm	11 mm	800 kg
478A 18K 203V ZPK	200 mm	50 mm	248 mm	58 mm	138×109 mm	105×75 / 80 mm	11 mm	1000 kg



Rhombus PU Cast Iron Wheel A95 Precision Ball Bearing	Diameter	Width	Height	Offset	Top Plate Dimension	Hole Distance	Top Plate Hole Diameter ø	Load Capacity (KG)
477A 18K 100V ZPK	100 mm	40 mm	148 mm		138×109 mm	105×75 / 80 mm	11 mm	275 kg
477A 18K 127V ZPK	125 mm	40 mm	178 mm		138×109 mm	105×75 / 80 mm	11 mm	600 kg
477A 18K 152V ZPK	150 mm	50 mm	205 mm		138×109 mm	105×75 / 80 mm	11 mm	800 kg
477A 18K 203V ZPK	200 mm	50 mm	248 mm		138×109 mm	105×75 / 80 mm	11 mm	1000 kg



Rhombus PU Cast Iron Wheel A95 Precision Ball Bearing	Diameter	Width	Height	Offset	Top Plate Dimension	Hole Distance	Top Plate Hole Diameter ø	Load Capacity (KG)
478I 18K 127V ZPK	125 mm	40 mm	178 mm	48 mm	138×109 mm	105×75 / 80 mm	11 mm	600 kg
478I 18K 152V ZPK	150 mm	50 mm	205 mm	48 mm	138×109 mm	105×75 / 80 mm	11 mm	800 kg
478I 18K 203V ZPK	200 mm	50 mm	248 mm	58 mm	138×109 mm	105×75 / 80 mm	11 mm	1000 kg

# GETTING YOUR CASTOR WHEELS HAS NEVER BEEN EASIER!

---

Call Us for a Quick Quote

Discuss and Customize

Fast and Reliable Delivery

**Kindly visit our showroom at:**

First Floor, Bearing No.8/29, Durga Colony, First Street,  
Kolathur, Chennai-600099

## About Us

---

At RFAL Technology Pvt Ltd, we are proud to be the exclusive importer and distributor of premium castor wheels in India. Serving diverse industries, including medical, industrial, and heavy-duty applications, we ensure top-quality products with unmatched reliability. With ready stock, competitive pricing, and customization options, we are committed to delivering excellence and mobility solutions tailored to your needs.



## FROM LIGHT-DUTY TO HEAVY-DUTY

## MEDICAL TO INDUSTRIAL

## WE HAVE THE PERFECT WHEELS FOR EVERY PRODUCT, CATEGORY APPLIANCE!

## Contact Us

---

**Mobile**

+91 97917 63278

**E-Mail**

info@rfaltech.in

**Website**

www.rfaltech.in